



Certificate of Analysis

PASSED

Tejas Tonic



1516 S Lamar Blvd #102
Austin, TX, 78704, US
Telephone: 5128298903
Email: Lab@tejastonic.com
License # : 405R-00011

Sample : DE41001013-001

Batch# : TEJAS.G4.LI.3718B
Sampled : 10/01/24
Ordered : 10/01/24

Sample Size Received : 33 gram
Total Amount : 33 gram
Completed : 10/05/24 Expires: 10/05/25
Sample Method : SOP Client Method

Page 4 of 5

 Microbial PASSED						 Heavy Metals PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL YEAST AND MOLD	100	cfu/g	ND	PASS	10000	ARSENIC	0	ppm	ND	PASS	1.5
SHIGA TOXIN PRODUCING ESCHERICHIA COLI STEC			Not Present	PASS		CADMIUM	0	ppm	ND	PASS	0.5
SALMONELLA SPECIES			Not Present	PASS		MERCURY	0	ppm	ND	PASS	1
						LEAD	0	ppm	ND	PASS	1
Analyzed by: 1473, 3215, 2, 2080	Weight: 4.76g	Extraction date: 10/01/24 16:33:55	Extracted by: 1473			Analyzed by: 1642, 3460, 8, 2080	Weight: 0.2375g	Extraction date: 10/02/24 12:16:05	Extracted by: 3460		
Analysis Method : SOP.T.40.057.CO; SOP.T.40.209.CO						Analysis Method : SOP.T.40.081.CO					
Analytical Batch : DE008590MIC						Analytical Batch : DE008599HEA					
Instrument Used : Microbial - Full Panel						Instrument Used : Shimadzu 2030 ICP-MS "RUMPEL"					
Analyzed Date : 10/01/24 12:55:21						Analyzed Date : 10/02/24 20:32:31					
Reviewed On : 10/04/24 08:44:54						Reviewed On : 10/03/24 11:57:24					
Batch Date : 10/01/24 11:06:38						Batch Date : 10/02/24 09:20:48					
Dilution : N/A						Dilution : 50					
Reagent : 091724.R03; 082924.R02; 081624.R08; 091724.R04; 100223.08; 031423.01; 080624.03; 091924.01; 072424.06; 080923.05; 040424.04; 100224.R05; 091924.02						Reagent : 093024.R11; 092623.01; 093024.R01; 093024.R02; 062524.01; 091823.03; 093024.R12; 040324.02					
Consumables : 01859; 00111; 210811-307-8; 210712-598-D; 41407-344C4-208AI; 41064-115C4-115B; 40998-0514-051AL; 61544-104C6-104C; 61970-408C6-408I; 24D1371; 1						Consumables : 24112; 114CB--114E; 20240202; 41141-130C4-130D					
Pipette : M - O48453J; M - L47149J; M - 20F92851; M - MV21601; M - MU03680; M - M32141C; M - 20C40454; M - 22G22702; M - 6537603; M - MU06201; M - N65633K; M - K94440L; M - 20E73249; M - G19154L; M - Q29305K; M - Q36416J; M - J46789J; M - J55715J; M - O52710K; M - N15637K; M - O34081K						Pipette : P10- H1403341G; P100- 22G19745					
<p>Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen to below single digit ppb concentrations for regulated heavy metals using method SOP.T.40.081.CO. Sample preparation for Heavy Metals Analysis via SOP.T.30.081.CO.</p>											

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

Stephen Goldman

Lab Director

State License # 405R-00011

405-00008

ISO 17025 Accreditation # 4331.01



Signature
10/05/24