

Prepared for:
Tejas Tonic LLC
1516 SOUTH LAMAR BLVD #102
AUSTIN, TX USA 78704

Tejas Tonic - Frio Mango Tonic

Batch ID or Lot Number: 4129	Test: Pesticides	Reported: 30May2024	USDA License: NA
Matrix: Finished Product	Test ID: T000281924	Started: 29May2024	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 22May2024	Status: NA

Pesticides	Dynamic Range (ppb)	Result (ppb)	Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	335 - 2747	ND	Malathion	301 - 2658	ND
Acephate	39 - 2787	ND	Metalaxyl	43 - 2656	ND
Acetamiprid	42 - 2728	ND	Methiocarb	46 - 2720	ND
Azoxystrobin	44 - 2644	ND	Methomyl	41 - 2795	ND
Bifenazate	39 - 2652	ND	MGK 264 1	164 - 1645	ND
Boscalid	48 - 2688	ND	MGK 264 2	107 - 1108	ND
Carbaryl	39 - 2722	ND	Myclobutanil	29 - 2751	ND
Carbofuran	41 - 2702	ND	Naled	43 - 2697	ND
Chlorantraniliprole	43 - 2726	ND	Oxamyl	42 - 2781	ND
Chlorpyrifos	41 - 2744	ND	Pacllobutrazol	44 - 2676	ND
Clofentezine	274 - 2718	ND	Permethrin	280 - 2747	ND
Diazinon	315 - 2655	ND	Phosmet	43 - 2529	ND
Dichlorvos	289 - 2749	ND	Prophos	303 - 2722	ND
Dimethoate	40 - 2726	ND	Propoxur	41 - 2702	ND
E-Fenpyroximate	268 - 2728	ND	Pyridaben	292 - 2694	ND
Etofenprox	43 - 2722	ND	Spinosad A	32 - 2078	ND
Etoxazole	293 - 2624	ND	Spinosad D	67 - 655	ND
Fenoxycarb	44 - 2638	ND	Spiromesifen	274 - 2706	ND
Fipronil	51 - 2669	ND	Spirotetramat	279 - 2682	ND
Flonicamid	49 - 2814	ND	Spiroxamine 1	16 - 1028	ND
Fludioxonil	306 - 2698	ND	Spiroxamine 2	25 - 1594	ND
Hexythiazox	42 - 2724	ND	Tebuconazole	300 - 2657	ND
Imazalil	276 - 2681	ND	Thiacloprid	44 - 2768	ND
Imidacloprid	36 - 2804	ND	Thiamethoxam	40 - 2774	ND
Kresoxim-methyl	46 - 2678	ND	Trifloxystrobin	42 - 2718	ND

Final Approval



Karen Winternheimer
30May2024
11:26:00 AM MDT

PREPARED BY / DATE



Sam Smith
30May2024
11:29:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/9b52d790-d435-4b87-9bbc-54fc3a514715>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
9b52d790d4354b879bbc54fc3a514715.1